

# Squeezelite / Logitech Media Server

Squeezelite is a network music player which could be used with Logitech Media Server(aka. LMS). Eunhasu has LMS inside of itself which is available of Tidal, Qobuz and internet radio.

- **Name:** A name of Squeezelite device appears on LMS. This could be changed if you would newly name on it.
- **Audio device config:** Select a radio button of USB DAC which is going to be used and click 'Save changes' to use the USB DAC.
  - **Setting mode:** If you select the 'Default', the audio device is automatically set. If you select 'Custom', you can set up your own audio device.
  - **DSD mode:** Set the playback method to DoP or Native DSD. If you set to Native, make sure your DAC supports native DSD playback.
  - **Buffer time:** Set the buffer length of music file data to be transmitted to the audio device in microseconds.
  - **Period count:** Set the transmission period of the music file data of the audio device.
  - **Sample format:** Set the music file transmission format (sample format) supported by the connected audio device. (Hovering the mouse cursor over the text box will display the maximum sample format of the connected Audio device.)
  - **Max sample rate:** Set the sample rate for the connected audio device which it can be supportive. (Hovering the mouse cursor over the text box displays the maximum sample rate.)
  - **Internal buffer:** Specify the maximum buffer size in kilobytes for audio processing.
- **Clear artwork.db:** Use when icons in LMS shatter. You should rescan in LMS after that.
- **Remove config cache:** Delete the LMS configuration cache files.

# Configuration

Check your DAC's capability.

```

← → ↻ ⓘ eunhasu.local/dacinfo/

**** List of PLAYBACK Hardware Devices ****
card 0: S20 [S0tM USB Audio 2.0], device 0: USB Audio [USB Audio]
  Subdevices: 1/1
  Subdevice #0: subdevice #0

-----

Bus 004 Device 001: ID 1d6b:0001 Linux Foundation 1.1 root hub
Bus 002 Device 003: ID 20b1:2102 XMOS Ltd
Bus 002 Device 001: ID 1d6b:0002 Linux Foundation 2.0 root hub
Bus 003 Device 001: ID 1d6b:0001 Linux Foundation 1.1 root hub
Bus 001 Device 002: ID 05e3:0610 Genesys Logic, Inc. 4-port hub
Bus 001 Device 001: ID 1d6b:0002 Linux Foundation 2.0 root hub

-----

0 [S20          ]: USB-Audio - S0tM USB Audio 2.0
                    S0tM S0tM USB Audio 2.0 at usb-1c1c000.usb-1, high speed

-----

S0tM S0tM USB Audio 2.0 at usb-1c1c000.usb-1, high speed : USB Audio

Playback:
Status: Stop
Interface 1
  Altset 1
  Format: S32_LE
  Channels: 2
  Endpoint: 1 OUT (ASYNC)
  Rates: 44100, 48000, 88200, 96000, 176400, 192000, 352800, 384000
  Data packet interval: 125 us

```

Input 'Max samplerate' and 'Sample format' by DAC information. Please refer to highlighted part.

S0tM USB Audio 2.0		S20	
DSD mode	None	Buffer time	80
Max samplerate	384000	Internal buffer	4096
		Period count	16
		Sample format	32

## LMS library rescan guide


Move on to Settings menu page.




Click "Rescan" button to start scan on Basic Settings tab.



Click "Scanning - View Progress" link at bottom of page if you'd like to see scanning states.



Scanning states screen.




## ickStream

ickStream plugin provides lots of third-party feature like Quboz, TIDAL. You can check more information about ickStream in the link,

- [http://wiki.ickstream.com/index.php/Open\\_Beta\\_Squeezebox\\_Installation](http://wiki.ickstream.com/index.php/Open_Beta_Squeezebox_Installation)


After finishing ickStream plugin installation, you have to agree EULA and login ickStream in LMS > Settings > Advanced > ickStream page.




Login complete.



You can see ickStream item in My Apps of LMS main screen.





Video: how to install and set Spotify plugin in LMS; Spotify premium account required.

From:

<https://docs.sotm-audio.com/> - **SOTM docs**

Permanent link:

<https://docs.sotm-audio.com/doku.php?id=en:squeezelite&rev=1529032582>

Last update: **2018/06/14 23:16**

